1

The *Contractor* must achieve the minimum acceptable weighted score for all measures in the scoring table. Failure to achieve this suspends the *Contractor* from the subsequent tender opportunity for this period.

Ref	Ref KPI Name		Weighting	Minimum acceptable performance	
		(A)	(B)	(C)	(A/5) x (B)

1 TIME – Taken for construction against


- < Performance for each Indicator is measured (A) above with Score (0 5).
- Each performance indicator has its own weighting (B).
- Overall the Contractor must pass the Gateway Indicators (C), meet the minimum acceptable weighted score for every scored indicator and achieve a total score of to be eligible for the subsequent tender opportunity.
- KPI definitions are in the following pages. These will be finalised with the successful tenderers.

Small Works KPIs

Key Performance Indicators

Purpose

Effective delivery, strategic alignment of partners and win/win relationship.



Key Performance Indicators

Purpose	Ensure agreement of the final accounts by planned date.					

Calculation	

Small Works KPIs

Кеу Performance

Indicator

Contractors waste tickets

Purpose	Encourage sustainability and reduce waste to landfill.						
					Criteria	Score	Achieved Score
					0%	0	
Definition	Exemptions include asbestos and other deleterious materials.				1% - 25%	1	
					26% - 50%	2	
		Calo	culation		51% - 75%	3	
Minimum Pass	Score 2				76% - 99%	4	
Mark					100%	5	
Method	Amount of waste recycled, divided by the amount of waste produced.		<u>C</u>	<u>`omme</u>	ents		
Information Sourc	ce Contractors waste tickets						